

2004 TQI Spreadsheet

| Page 1 | Call Count | | | | | Spring Rabbit Count | |
|-----------------------|--------------|--------------|--------------|--------------|--------------------|---------------------|--------------|
| County | X # roosters | Blues | X # of calls | Blues | X calls / roosters | JackRabbit | Cottontails |
| ASU (MIRC) | 5.1 | | 4.3 | | 0.9 | | |
| BOSQUE 1(FTR) | 3.5 | | 17.1 | | 4.9 | | |
| CLAY | 5.3 | | 10.27 | | 2.0 | 0 | 0 |
| CLAY (Birdwell&Clark) | 5.3 | | 32 | | 6.1 | | |
| COKE (Tennyson) | 7.1 | | 38.7 | | 5.4 | | |
| COKE (STONE R) | 2.9 | | 26.0 | | 9.0 | | |
| COMANCHE | 1.7 | | 7.15 | | 4.2 | | |
| CONCHO | 5.2 | 0.46 | 24.9 | 1.37 | 4.79 | | |
| CROCKETT (BARNHART) | 2.4 | | 15.4 | | 6.5 | | |
| EASTLAND (WR) | 2.7 | | 11.8 | | 4.4 | | |
| ERATH | 2.0 | | 17.7 | | 8.8 | | |
| FISHER1 (Aiken R) | 12.1 | 7 | 998 | 23 | 82.5 | | |
| FOARD 1 | 7.8 | | 36.26 | | 4.6 | | |
| FOARD 2 (Browning R.) | 5.5 | 0.1 | 27.5 | 0.1 | 5.0 | 0.15 | 0.3 |
| GLASSCOCK | 5.9 | 4.366667 | 24.4 | | 4.1 | | |
| GOLIAD (HOLT) | 4.2 | | 15.2 | | 3.6 | | |
| HEMPHILL | 3.5 | | 15.7 | | 4.5 | 0.03 | 0.6 |
| HOWARD | 6.6 | 3.8 | 21.6 | | 3.3 | | |
| IRION (rock b) | | | | | | | |
| JENNINGS (MONTAGUE) | 4.2 | | 30.0 | | 7.1 | | |
| JONES | 6.3 | | 63.3 | | 10.0 | | |
| KENEDY | 5.3 | | 50.6 | | 9.5 | | |
| KENT (MGR) | 10.4 | | 41.2 | | 4.0 | | |
| Kleberg | | | | | | | |
| LRWMA | 6.2 | | 53.3 | | 8.6 | | |
| MITCHELL | 4.5 | | 34.58 | | 7.7 | | |
| MENARD | 3.8 | | 71.5 | | 18.8 | | |
| ROBERTS (Hale Ranch) | 3.0 | 0.7 | 113.2 | 2.5 | 37.7 | 0.27 | 0.30 |
| SOMERVELL 1 (GCR) | 2.1 | | 12.0 | | 5.8 | | |
| STONEWALL(SNIPES) | 8.6 | | 98.1 | | 11.4 | | |
| ROCKMORTON (RA BROW) | 11.9 | | 74.5 | | 6.3 | 1.8 | 1.07 |
| # Reporting | 29.0 | 6.0 | 28.0 | 4.0 | 28.0 | 5.0 | 6.0 |
| 25% Quartile | 3.3 | 0.5 | 16.7 | 1.0 | 4.4 | 0.0 | 0.3 |
| 50% Quartile | 5.3 | 2.2 | 30.0 | 2.0 | 6.1 | 0.2 | 0.3 |
| 75% Quartile | 6.5 | 4.2 | 51.9 | 7.7 | 8.9 | 0.3 | 0.6 |
| Maximum | 12.1 | 7.0 | 998.0 | 23.0 | 82.5 | 1.8 | 1.1 |
| Minimum | #REF! | #REF! | #REF! | #REF! | #REF! | #REF! | #REF! |
| Average | 5.4 | 2.7 | 70.8 | 6.7 | 10.4 | 0.5 | 0.4 |

2004 TQI Spreadsheet

| Page 1 | Call Count | | | | | Spring Rabbit Count | |
|---------------------|--------------|-------|--------------|-------|--------------------|---------------------|-------------|
| County | X # roosters | Blues | X # of calls | Blues | X calls / roosters | JackRabbit | Cottontails |
| Elephant Mountain | 2.1 | | 13.8 | | 6.6 | | |
| Gene Howe | 4.8 | | 28 | | 5.8 | | |
| Mason Mountain | 1.25 | | 4.8 | | 3.8 | | |
| Matador | 6.2 | | 52 | | 8.4 | | |
| # Reporting | | | | | | | |
| 25% Quartile | | | | | | | |
| 50% Quartile | | | | | | | |
| 75% Quartile | | | | | | | |
| Maximum | | | | | | | |
| Minimum | | | | | | | |
| Average | #REF! | | | | | | |

2004 TQI Spreadsheet

| Page 3 | Forb Diversity | Habitat Photo Ranking | Scent Station Results | |
|-------------------------|------------------------|-----------------------|-----------------------|------------------|
| County | # of different species | Habitat score | Total Visits | Visits / 100 SSN |
| ASU (MIRC) | 3.5 | | | |
| BOSQUE 1(FTR) | 6.1 | 5.8 | | |
| CLAY | 4.3 | 4.5 | 7 | 31.78 |
| CLAY (Birdwell&Clark) | 4.0 | 5.3 | 4 | 18.16 |
| COKE | 4.2 | | 18 | 61.1 |
| COKE (STONE R) | 4.2 | | 19 | 86.26 |
| COMANCHE | 4.9 | 5.7 | 7 | 31.78 |
| CONCHO | 4.2 | 6.4 | 22 | 99.88 |
| CROCKETT (BARNHART) | 3.0 | | 5 | 22.7 |
| EASTLAND (WR) | 2.5 | 6.3 | 2 | 9.08 |
| ERATH | 4.0 | | 8 | 36.3 |
| FISHER1 (Aiken R) | | 6.9 | | |
| FOARD 1 | 1.6 | | 3 | 13.6 |
| FOARD 2 (Browning R.) | | 5.5 | | |
| GLASSCOCK | 2.8 | | 1 | 4.54 |
| GOLIAD (HOLT) | 3.5 | 6.1 | | |
| HEMPHILL | 2.2 | 6.7 | 13 | 59.02 |
| HOWARD | 5.8 | | 0 | 0 |
| IRION (rock b) | 4.6 | 4.2 | | |
| JENNINGS (MONTAGUE) | 3.5 | 5.5 | | |
| JONES | | 6.8 | 10 | 45.4 |
| KENEDY | | 7.3 | 13 | 59.0 |
| KENT (MGR) | 4.9 | 6.3 | | |
| Kleberg | | | | |
| LRWMA | 6.9 | | 0 | 0% |
| MITCHELL | 5.4 | 6.4 | | |
| MENARD | 4.3 | 5.1 | | |
| ROBERTS (Hale Ranch) | 2.7 | 5.0 | 14 | 63.6 |
| SOMERVELL 1 (GCR) | | | 7 | 31.8 |
| STONEWALL(SNIPES) | 2.5 | 6.8 | | |
| THROCKMORTON (RA BROWN) | 4.8 | 5.9 | 27 | 122.6 |
| # Reporting | 24.0 | 20.0 | 19.0 | 19.0 |
| 25% Quartile | 2.9 | 5.4 | 3.5 | 15.9 |
| 50% Quartile | 4.2 | 6.1 | 7.0 | 31.8 |
| 75% Quartile | 4.7 | 6.6 | 13.5 | 60.1 |
| Maximum | 6.9 | 7.3 | 27.0 | 122.6 |
| Minimum | #REF! | #REF! | #REF! | #REF! |
| Average | 4.0 | 5.9 | 9.5 | 41.9 |

2004 TQI Spreadsheet

| Page 4 | Forb Diversity | Habitat Photo Ranking | Scent Station Results | |
|---------------------|------------------------|-----------------------|-----------------------|------------------|
| County | # of different species | Habitat score | Total Visits | Visits / 100 SSN |
| Elephant Mountain | 1.7 | 5.4 | | |
| Gene Howe | 2.6 | 5.3 | 3 | 13.6 |
| Mason Mountain | | | | |
| Matador | 4.0 | | 8 | 36.3 |
| # Reporting | | | | |
| 25% Quartile | | | | |
| 50% Quartile | | | 9798479187 | |
| 75% Quartile | | | | |
| Maximum | | | | |
| Minimum | | | | |
| Average | | #REF! | | #REF! |

2004 TQI Spreadsheet

| Page 5 | Nesting Results | | Roadside counts | | |
|-------------------------|-----------------|-----------------|-----------------|--------------|------------------|
| County | % intact at 14d | Nest Sites/acre | # Bobs/mile | # Blues/mile | Total Birds/Mile |
| ASU (MIRC) | 36.1% | 385.3 | 8.2 | 0.6 | 8.8 |
| BOSQUE 1(FTR) | 50% | 437.3 | 0 | | 0 |
| CLAY | | | | | |
| CLAY (Birdwell&Clark) | 67% | 577.3 | 2.1 | | 2.1 |
| COKE | 50% | 669.3 | 7.2 | | 7.2 |
| COKE (STONE R) | 75% | | 4.9 | 0.37 | 5.2 |
| COMANCHE | | | 0.3 | 0 | 0.3 |
| CONCHO | 56% | 202.7 | 6.8 | 0.3 | 7.1 |
| CROCKETT (BARNHART) | 53% | 344.0 | 5.3 | 0.5 | |
| EASTLAND (WR) | 64% | 190.7 | 0.37 | | 0.37 |
| ERATH | 44% | 444.0 | | | |
| FISHER1 (Aiken R) | | | | | |
| FOARD 1 | 92% | 485.3 | 1.5 | | 1.5 |
| FOARD 2 | | | | | |
| GLASSCOCK | 55.6% | 132.0 | 1.7 | 7.2 | 8.9 |
| GOLIAD (HOLT) | 69% | 81.3 | 0.2 | | 0.2 |
| HEMPHILL | 64% | 564.0 | 4.8 | 0.17 | 5.0 |
| HOWARD | 47% | 156.0 | 4.3 | 45.3 | 49.6 |
| IRION (rock b) | 58% | 301.3 | | | |
| JENNINGS (MONTAGUE) | 61% | 464 | 5 | | 5 |
| JONES | 86% | 478.7 | 2.6 | | 2.6 |
| KENEDY | 72% | 366.7 | 5.2 | | 5.2 |
| KENT (MGR) | 86% | 388.0 | | | |
| Kleberg | 72% | 210.7 | 12 | | 12 |
| LRWMA | 78% | 3701.3 | | | |
| MITCHELL | 17% | 449.3 | | | |
| MENARD | 69% | 204 | | | |
| ROBERTS (Hale Ranch) | 81% | 764.0 | 21.3 | 23.3 | 44.6 |
| SOMERVELL 1 (GCR) | 72% | 361.3 | | | |
| STONEWALL(SNIPES) | 81% | 248.0 | 4.7 | | 4.7 |
| THROCKMORTON (RA BROWN) | 83% | 993.3 | | | |
| # Reporting | 26.0 | 25.0 | 19.0 | 8.0 | 18.0 |
| 25% Quartile | 0.6 | 209.0 | 1.8 | 0.3 | 2.1 |
| 50% Quartile | 0.7 | 377.3 | 4.8 | 0.4 | 5.0 |
| 75% Quartile | 0.8 | 505.0 | 5.3 | 11.3 | 7.2 |
| Maximum | 0.9 | 3701.3 | 21.3 | 45.3 | 49.6 |
| Minimum | #REF! | #REF! | #REF! | #REF! | #REF! |
| Average | 0.7 | 528.6 | 4.8 | 9.7 | 9.0 |

2004 TQI Spreadsheet

| Page 6 | Nesting Results | | Roadside counts | | |
|---------------------|-----------------|-----------------|-----------------|--------------|------------------|
| County | % intact at 14d | Nest Sites/acre | # Bobs/mile | # Blues/mile | Total Birds/Mile |
| Elephant Mountain | 28% | | | | |
| Gene Howe | 0 | 1012.4 | 1.9 | | 1.9 |
| Mason Mountain | | | | | |
| Matador | 81% | 544 | 1.9 | | 1.9 |
| # Reporting | | | | | |
| 25% Quartile | | | | | |
| 50% Quartile | | | | | |
| 75% Quartile | | | | | |
| Maximum | | | | | |
| Minimum | | | | | |
| Average | #REF! | #REF! | | | |

2004 TQI Spreadsheet

| Page 7 | Fall Forb Diversity | Covey Call Count | | | Harvest Data | |
|-------------------------|---------------------|------------------|----------------------|----------------|--------------|--------------|
| County | | # of Counts | Average Coveys Heard | Range | Covey's/Hr | % Subadult |
| ASU (MIRC) | | 3 | 7.3 | | | |
| BOSQUE 1(FTR) | | 10 | 3.5 | | | |
| CLAY | | | | | | |
| CLAY (Birdwell&Clark) | | 7 | 7.3 | 4..11 | | |
| COKE | | 4 | 5.5 | 3..8 | 6.3 | 59% |
| COKE (STONE R) | | | | | | |
| COMANCHE | | | | | | |
| CONCHO | 4.6 | 8 | 19.75 | 14..24 | | |
| CROCKETT (BARNHART) | | | | | | |
| EASTLAND (WR) | 1.6 | 4 | 1.5 | 0..2 | 0.5 | |
| ERATH | | | | | | |
| FISHER1 (Aiken R) | | | | | | |
| FOARD 1 | 2.3 | 3 | 18.3 | | | |
| FOARD 2 | | | | | | |
| GLASSCOCK | | 20 | 15.9 | 6..34 | | |
| GOLIAD (HOLT) | 1.2 | | | | | |
| HEMPHILL | | | | | | |
| HOWARD | | 22 | 10.8 | | | |
| IRION (rock b) | | | | | | |
| JENNINGS (MONTAGUE) | 1.8 | 3 | 19 | 6..8 | | 50% |
| JONES | | 1 | 6 | 1..1 | | |
| KENEDY | | | | | | |
| KENT (MGR) | | | | | 2.08 | |
| Kleberg | | | | | | |
| LRWMA | | | | | | |
| MITCHELL | | | | | | |
| MENARD | | | | | | |
| ROBERTS (Hale Ranch) | 2.0 | 4 | 3.5 | | | |
| SOMERVELL 1 (GCR) | 3.8 | 3 | 7 | 1..6 | | |
| STONEWALL(SNIPES) | 3.0 | 4 | 12.5 | 9..18 | | |
| THROCKMORTON (RA BROWN) | | | | | | |
| # Reporting | | 13.0 | 13.0 | 9.0 | 3.0 | 2.0 |
| 25% Quartile | | 3.0 | 5.9 | #NUM! | 1.3 | 0.5 |
| 50% Quartile | | 4.0 | 9.1 | #NUM! | 2.1 | 0.5 |
| 75% Quartile | | 7.3 | 16.5 | #NUM! | 4.2 | 0.6 |
| Maximum | | 22.0 | 19.8 | 0.0 | 6.3 | 0.6 |
| Minimum | | #REF! | #REF! | #REF! | #REF! | #REF! |
| Average | | 7.2 | 10.0 | #DIV/0! | 3.0 | 0.5 |

2004 TQI Spreadsheet

| Page 8 | Covey Call Count | | | | | |
|---------------------|------------------|-------------|----------------------|-------|----------------------------|------------|
| County | | # of Counts | Average Coveys Heard | Range | Harvest Data Covey's/Hr | % Subadult |
| Elephant Mountain | | | | | | |
| Gene Howe | 3.1 | 11 | 7.8 | | | |
| Mason Mountain | | | | | | |
| Matador | | 2 | 6.8 | 4..9 | | |
| # Reporting | | | | | | |
| 25% Quartile | | | | | | |
| 50% Quartile | | | | | | |
| 75% Quartile | | | | | | |
| Maximum | | | | | | |
| Minimum | | | | | | |
| Average | | | | | | |